

Baja presión
Low pressure
Basse pression
Tubi a bassa pressione



MANGUERAS BAJA PRESIÓN 200

Low pressure hoses
Tuyaux basse pression
Tubi bassa pressione

RACORES BAJA PRESIÓN 201

Low pressure fittings
Raccords basse pression
Raccordi bassa pressione

FLUIDAL

MANGUERAS BAJA PRESIÓN

Low pressure hoses
Tuyaux basse pression
Tubi bassa pressione

Mangueras de caucho sintético ▪ Synthetic rubber hoses (diesel oil) ▪ Tuyaux de caoutchouc synthétique (gas-oil) ▪ Tubi di caucciú sintetico (diesel)

200



M100


M110

FLUIDAL

RACORES BAJA PRESIÓN

Low pressure fittings
Raccords basse pression
Raccordi bassa pressione

Casquillos (campanillas) ▪ Sleeves ▪ Jupes basse pression ▪ Boccole



A5010

ALCA

Conexiones BSP ▪ BSP Fittings ▪ Embouts BSP basse pression ▪ Raccordi BSP



D5042

D5040

D5052

D5050

D5030

D5091

Conexiones Métricas ▪ Metric fittings ▪ Embouts Métriques basse pression ▪ Raccordi Metrici



D5062

D5082

D5080

D5060

D5070

D5090

D5085

D5020

FLUIDAL

MANGUERAS BAJA PRESIÓN

Low pressure hoses
Tuyaux basse pression
Tubi bassa pressione

Manguera de caucho sintético con una malla de acero galvanizado (gasoil)

Synthetic rubber hose with a galvanized steel braided (gasoil)

Tuyau de caoutchouc synthétique avec une tresse d'acier galvanisé (gasoil)

Tubo di caucciú sintético con una treccia di acciaio galvanizzato (gasolio)



Ø INT. Ø INNER	Referencia Part n°	€
5	M10005	5,61
6	M10006	6,58
7	M10007	7,00
8	M10008	7,95
9	M10009	9,04
12	M10012	12,95
14	M10014	15,06
15	M10015	18,56
18	M10018	22,12
20	M10020	22,74
22	M10022	26,65
26	M10025	30,15
30	M10030	38,64
40	M10040	88,36
50	M10050	117,48

Manguera de caucho sintético con una malla textil de alta tenacidad (gasoil y gasolina)

Synthetic rubber hose with a textile braided high toughness (gasoil and gasolina)

Tuyau de caoutchouc synthétique avec une tresse textile d'haute tenacité (gasoil et essence)

Tubo di caucciú sintético con una treccia tessile ad alta resistenza (gasolio e benzina)



Ø INT. Ø INNER	Referencia Part n°	€
4	M11004	5,69
5	M11005	6,20
6	M11006	7,13
7	M11007	8,00
8	M11008	7,90
9	M11009	10,08
12	M11012	15,35

Máquina prensar baja presión | Low pressure crimping machine | Presse basse pression | Macchina pressatubi bassa pressione

Mordazas incluidas | Included dies | Mors inclus | Morsetti inclusi
Ø10-13-16 mm.

Ø máx. | Ø max. | Ø max. | Ø massimo

25 mm.

Apertura | Opening | Overture | Apertura

+21 mm.

Peso | Weight | Poids | Peso

12 kg.

Dimensiones | Dimensions | Dimensions | Dimensioni

500 x 180 x 310 mm.

PBPH25



RACORES BAJA PRESIÓN

Low pressure fittings
Raccords basse pression
Raccordi bassa pressione

Campana acero para manguera de baja presión

Sleeves for low pressure hose (steel)

Juqe acier doux malléable pour tuyau basse pression

Boccola in acciaio sottile per tubo bassa pressione




Ø EXT. Ø OUTER	Ø INT. Ø INNER	Referencia Part n°	€
11,6	10,5	A50101050000	0,29
13,7	12,4	A50101200000	0,33
14,7	13,5	A50101350000	0,36
15,6	14,5	A50101450000	0,36
16,5	15,5	A50101550000	0,39
18,8	17,3	A50101700000	0,46
19,5	18,5	A50101850000	0,47
22,9	20,5	A50102050000	0,58
23,9	22,5	A50102250000	0,67
26,2	24,5	A50102450000	0,76
28	26,4	A50102600000	0,84
30	28	A50102800000	0,94
32,2	30	A50103000000	1,74
35,5	33,5	A50103300000	1,76
38,2	36	A50103600000	1,94
45,2	42,2	A50104200000	6,39
60,8	56	A50105600000	8,50
65,5	61	A50106100000	10,16
70,3	66,5	A50106650000	13,90
76,7	71	A50107100000	15,56

Campana aluminio para racor industrial - cierre 45°

Crimping ferrule 45° closure (aluminium)

Juqe aluminium pour raccord industriel - fermeture 45°

Boccola aluminio per raccordo industriale - chiusura 45°



Ø INT. Ø INNER	Referencia Part n°	€
11	ALCA011000	*
12.9	ALCA012900	*
13.4	ALCA013400	*
14.5	ALCA014500	*
15.5	ALCA015500	*
17.5	ALCA017500	*
18.5	ALCA018500	*
20.5	ALCA020500	*
21.5	ALCA021500	*
24.5	ALCA024500	*
26.5	ALCA026500	*
27.5	ALCA027500*	*
28.5	ALCA028500	*
30	ALCA030000	*
33	ALCA033000	*
36	ALCA036000	*
39	ALCA039000	*
46	ALCA046000	*
43	ALCA043000	*
48	ALCA048000	*
50	ALCA050000	*
54	ALCA054000	*
56.5	ALCA056500	*
63	ALCA063000	*
67	ALCA067000	*
84	ALCA083000	*
98	ALCA099000	*
123	ALCA121000	*

*Ver precios en p.175 / *See prices in p.175 / *Prix à la p.175 / *Vedere prezzi p.175

Macho BSP rosca cilíndrica asiento cónico 60°

BSP Cylindrical male low pressure 60° cone

Embout mâle fixe BSP cône 60° basse pression

Maschio BSP cilindrico sede conica 60° bassa pressione



DN	ROSCA THREAD	Referencia Part n°	€
5-6	1/4"	D50420405000	2,87
7-8	1/4"	D50420407000	3,10
7-8	3/8"	D50420607000	5,64
9-10	3/8"	D50420609000	3,32
12-13	3/8"	D50420612000	7,12
12-13	1/2"	D50420812000	5,69
15-16	1/2"	D50420815000	8,72
15-16	3/4"	D50421216000	6,72
19-20	3/4"	D50421220000	6,06
19-20	1"	D50421620000	11,01
25	1"	D50421625000	8,46
30	1"1/4	D50422030000	25,64
40	1"1/2	D50422440000	33,34
50	2"	D50423250000	49,06

Macho BSP rosca cilíndrica asiento plano

Low pressure BSP cylindrical male flat seat

Embout mâle gaz fond plat basse pression

Maschio BSP cilindrico sede piana bassa pressione



DN	ROSCA THREAD	Referencia Part n°	€
5-6	1/8"	D50400205000	2,20
5-6	1/4"	D50400405000	3,09
7-8	1/4"	D50400407000	5,41
7-8	3/8"	D50400607000	6,20
9-10	3/8"	D50400609000	6,20
12-13	1/2"	D50400812000	5,71
15-16	1/2"	D50400815000	5,78
15-16	3/4"	D50401216000	6,85
19-20	3/4"	D50401220000	8,72
19-20	1"	D50401620000	11,01
25	1"	D50401625000	12,90
30	1"1/4	D50402030000	34,66
40	1"1/2	D50402440000	30,50
50	2"	D50403250000	53,91

RACORES BAJA PRESIÓN


Low pressure fittings
Raccords basse pression
Raccordi bassa pressione

Boquilla asiento cónico 60° (BSP) baja presión

BSP Nipple 60° cone low pressure

Nipple embout femelle BSP 60° basse pression

Inserto cono 60° BSP bassa pressione



DN	TUERCA NUT	Referencia Part n°	€
5-6	1/4"	D50520405000	1,57
7-8	1/4"	D50520407000	1,34
7-8	3/8"	D50520607000	2,09
9-10	3/8"	D50520609000	1,70
12-13	1/2"	D50520812000	1,98
15-16	1/2"	D50520815000	2,43
15-16	3/4"	D50521216000	2,89
19-20	3/4"	D50521220000	3,43
19-20	1"	D50521620000	5,20
25	1"	D50521625000	4,90
30	1"1/4	D50522030000	9,89
40	1"1/2	D50522440000	16,15
50	2"	D50523250000	24,84

Boquilla asiento plano (BSP) baja presión

BSP Nipple flat seat

Nipple embout femelle fond plat BSP basse pression

Inserto faccia piana BSP bassa pressione



DN PIPE	TUERCA NUT	Referencia Part n°	€
5-6	1/4"	D50500405000	2,46
7-8	1/4"	D50500407000	2,24
9-10	3/8"	D50500609000	2,09
12-13	1/2"	D50500812000	2,16
15-16	1/2"	D50500815000	2,60
15-16	3/4"	D50501216000	2,89
19-20	3/4"	D50501220000	3,14
19-20	1"	D50501620000	5,20
25	1"	D50501625000	6,62
30	1"1/4	D50502030000	11,01
40	1"1/2	D50502440000	21,37
50	2"	D50503250000	26,64

Tuerca BSP

BSP Nut

Ecrou BSP

Dado BSP



ROSCA THREAD	Referencia Part n°	€
1/4" BSP	D50300400000	0,96
3/8" BSP	D50300600000	1,03
1/2" BSP	D50300800000	1,64
3/4" BSP	D50301200000	2,31
1" BSP	D50301600000	4,05
1"1/4 BSP	D50302000000	7,81
1"1/2 BSP	D50302400000	9,23
2" BSP	D50303200000	13,70

Codo 90° baja gas cono 60°

90° BSP Swivel female 60° cone low pressure

Embout femelle 90° gaz cyl BSP 60° basse pression

Femmina a 90° sede 60° bassa pressione



DN PIPE	ROSCA THREAD	Referencia Part n°	€
5-6	1/4"	D50910405000	12,79
7-8	1/4"	D50910407000	4,60
9-10	3/8"	D50910609000	7,10
12-13	1/2"	D50910812000	16,62
15-16	1/2"	D50910815000	18,17
15-16	3/4"	D50911216000	21,23
19-20	3/4"	D50911220000	14,51
19-20	1"	D50911620000	53,94
25	1"	D50911625000	22,73
30	1"1/4	D50912030000	92,53

Macho rosca métrica asiento cónico 60° baja presión

Metric cylindrical male 60° cone

Embout mâle DIN métrique cône 60° basse pression

Maschio Metrico sede conica 60° bassa pressione




DN	ROSCA THREAD	Referencia Part n°	€
5-6	10X1	D50621005000	2,92
7-8	12X1,5	D50621207000	3,19
9-10	14X1,5	D50621409000	5,94
9-10	16X1,5	D50621609000	3,82
12-13	16X1,5	D50621612000	6,02
9-10	18X1,5	D50621810000	4,91
12-13	22X1,5	D50622212000	5,56
15-16	22X1,5	D50622215000	6,31
12-13	26X1,5	D50622612000	6,91
15-16	26X1,5	D50622615000	6,91

Macho rosca métrica asiento plano baja presión

Metric cyl male flat seat low pressure

Embout mâle métrique fond plat basse pression

Maschio Metrico sede piana bassa pressione



DN	ROSCA THREAD	Referencia Part n°	€
5-6	10X1	D50601005000	2,83
7-8	12X1,5	D50601207000	3,19
9-10	14X1,5	D50601409000	5,94
9-10	16X1,5	D50601609000	3,92
12-13	16X1,5	D50601612000	6,02
9-10	18X1,5	D50601810000	5,08
12-13	22X1,5	D50602212000	4,92
15-16	22X1,5	D50602215000	3,99
12-13	26X1,5	D50602612000	6,63
15-16	26X1,5	D50602615000	6,88

RACORES BAJA PRESIÓN

Low pressure fittings
Raccords basse pression
Raccordi bassa pressione

Boquilla asiento cónico 60° (Métrica) baja presión

Metric nipple 60° cone low pressure

Nipple pour embout femelle DIN métrique cône 60° basse pression

Inserto cono 60° Metrico bassa pressione



DN	TUERCA NUT	Referencia Part n°	€
5-6	10X1	D50821005000	1,68
7-8	12X1,5	D50821207000	1,89
9-10	14X1,5	D50821409000	2,29
9-10	16X1,5	D50821609000	3,22
9-10	18X1,5	D50821810000	2,18
12-13	22X1,5	D50822212000	3,09
15-16	22X1,5	D50822215000	3,27
12-13	26X1,5	D50822612000	4,96
15-16	26X1,5	D50822615000	4,76

Boquilla asiento plano (Métrica) baja presión

Metric nipple flat seat low pressure

Nipple pour embout femelle métrique fond plat basse pression

Inserto faccia piana bassa pressione



DN	TUERCA NUT	Referencia Part n°	€
5-6	10X1	D50801005000	1,68
7-8	12X1,5	D50801207000	1,86
9-10	14X1,5	D50801409000	2,51
9-10	16X1,5	D50801609000	1,99
9-10	18X1,5	D50801810000	2,88
12-13	22X1,5	D50802212000	3,09
15-16	22X1,5	D50802215000	2,15
12-13	26X1,5	D50802612000	4,76
15-16	26X1,5	D50802615000	4,76

Tuerca Métrica

Metric nut

Écrou métrique

Dado Metrico



ROSCA THREAD	Referencia Part n°	€
10X1	D50701000000	1,27
12X1,5	D50701200000	1,44
14X1,5	D50701400000	2,71
16X1,5	D50701600000	1,46
18X1,5	D50701800000	1,69
22X1,5	D50702200000	3,28
26X1,5	D50702600000	3,74

Boquilla 90° asiento cónico 60° (Métrica) baja presión

90° Swivel female Metric cylindrical 60° cone low pressure

Embout femelle 90° métrique cône 60° basse pression

Femmina a 90° Metrica sede conica 60°



DN	ROSCA THREAD	Referencia Part n°	€
7-8	12X1,5	D50901207000	15,05
9-10	14X1,5	D50901409000	15,71
9-10	16X1,5	D50901609000	20,22

Espiga lisa métrica baja presión

Metric standpipe low pressure

Embout lisse métrique basse pression

Estremità tubolare Metrica bassa pressione



DN	TUBO PIPE	Referencia Part n°	€
5-6	4	D50850405000	6,31
5-6	6	D50850606000	4,69
5-6	8	D50850806000	4,69
7-8	8	D50850808000	4,69
7-8	10	D50851008000	4,92
9-10	10	D50851010000	4,48
12-13	12	D50851212000	4,48
15,5	15	D50851515000	6,41
15-16	18	D50851815000	7,89

Orientable métrico baja presión

Low pressure metric banjo

Embout banjo métrique basse pression

Raccordo ad occhio Metrico bassa pressione



DN	Ø	Referencia Part n°	€
5-6	8	D50200805	5,08
7-8	8	D50200807	5,08
5-6	10	D50201005	4,60
7-8	10	D50201007	5,45
9-10	10	D50201009	5,52
5-6	12	D50201205	5,84
7-8	12	D50201207	5,84
9-10	12	D50201209	5,84
5-6	14	D50201405	5,72
7-8	14	D50201407	4,93
9-10	14	D50201409	4,93